

FLIR ONE® EDGE PRO

Thermal Camera with Wireless Connectivity
for iOS® and Android™ Smart Devices



Mobile phone not included

www.flir.com/FLIRONE-EdgePro

The FLIR ONE Edge Pro is an innovative, rugged thermal imager that wirelessly connects to your smart device so you can remotely inspect out-of-reach targets – or clip it onto your phone or tablet for one-handed operation. Combining VividIR™ and FLIR MSX®, you can take crisp thermal images from any position or angle with a natural grip. FLIR Ignite™ allows you to easily upload images and videos from your FLIR ONE Edge Pro to the cloud where you can edit, organize, store, and share data. Compatible with iOS and Android smartphones and tablets, the FLIR ONE Edge Pro can be used without limitations, regardless of carrier, operating system, size, or future smart device upgrades.

EASILY INSPECT ANYWHERE

Measure targets in difficult-to-reach areas from any angle, and enhance visibility through remote monitoring

- Remotely inspect hazardous areas up to 30 m (100 ft) away
- Operate with one hand by clipping the FLIR ONE Edge Pro to your smart device
- Conveniently scan out-of-reach or out-of-view targets, holding the FLIR ONE Edge Pro in one hand and your smart device in the other for a clear view of your screen
- Wireless connectivity eliminates compatibility issues and allows you to upgrade your smart device without the need to replace your thermal camera

HIGH-QUALITY IMAGES AND PERFORMANCE

Inspect areas accurately with FLIR proprietary image enhancement features

- Easily recognize where problems are located and identify targets with FLIR MSX® (Multi-Spectral Dynamic Imaging)
- Take crisp, clear images with 160 × 120 (19,200 pixels) thermal resolution and VividIR, which combines multiple image frames together to deliver a sharper image
- Measure temperatures up to 400°C (752°F)
- Rugged design with up to 1.5-hour battery life

ENHANCE YOUR WAY OF WORKING

Improve efficiency and large enterprise scalability with the FLIR ONE Edge Pro and its apps and services

- Effortlessly edit and store images in the cloud, and wirelessly transfer files using the included FLIR Ignite cloud service
- Step-by-step guidance with FLIR-specific smart device apps
- Simple integration with FLIR Thermal Studio and FLIR Ignite software

SPECIFICATIONS

FLIR ONE® Edge Pro	
Thermal pixel size	12 µm
Thermal resolution	160 × 120 (19,200 pixels)
Thermal sensitivity	70 mK
Measurement	
Object temperature range(s)	-20°C to 120°C (-4°F to 248°F) 0°C to 400°C (32°F to 752°F)
Operating temperature	-10°C to 50°C (14°F to 122°F), battery charging 0°C to 45°C (32°F to 113°F)
Accuracy	±3°C (5.4°F) or ±5%. Applicable 60 sec after start-up when the unit is within 15°C to 35°C (59°F to 95°F) and the scene is within 5°C to 120°C (41°F to 248°F)
Emissivity correction	Matte, Semi-Matte, Semi-Glossy, Glossy
Measurement correction	Emissivity; Reflected apparent temperature (22°C / 72°F)
Shutter	Automatic/Manual
Optical data	
Spectral range	8 µm – 14 µm
Visual resolution	640 × 480
HFOV / VFOV	54° ±1° / 42° ±1°
Frame rate	8.7 Hz
Focus	Fixed 30 cm – infinity
General features	
Certifications	RoHS, CE/FCC, CEC-BC, EN62133, UL1642, WEEE 2012/19/EU
Storage temperature	-40°C to 70°C (-40°F to 158°F)
Size (w × h × d)	35 mm × 37.5 mm × 149 mm (1.4 in × 1.5 in × 5.9 in)
Weight (incl. battery)	153 g (5.4 oz)
Drop tested	Drop from 2 m (6.56 ft)
Clip span	130 mm (min) / 195 mm (max)
Power	
Battery life	Approximately 1 h 30 min
Battery charge time	60–90 min for fully charged. 15 min charging, from empty battery, gives 40 min operating time.

Interfaces	
Wi-Fi	IEEE 802.11 a/b/g/n
Bluetooth®	Bluetooth
Charging	Female USB-C (5V/1A)
Remote operation	Up to 30 m (100 ft) from smart device via Wi-Fi
App	
Image presentation modes	Infrared, visual, MSX®
VividIR	Yes
Video and image capture	Yes
File formats	Radiometric JPG, MPEG-4 [file format MOV (iOS), MP4 (Android)]
Spot measurements	Hottest, Coldest, and 3-spot measurement
Adjustable MSX distance	30 cm – infinity
Visual battery indicator	0% to 100%
Radio	
Wi-Fi	Standard: 802.11 a/b/g/n
Bluetooth	Frequency range: - 2400–2484 MHz
Accessories	

FLIR ONE Edge Pouch, Ordering #T912180

Apple Store FLIR Apps



Google Play Store FLIR Apps



Specifications are subject to change without notice.
For the most up-to-date specs, go to www.teledyneflir.com

US Patent-pending design

For more information contact: Sales@TeledyneFLIR.com
or to find your local support number, visit: flir.com/contactsupport

This product is subject to United States export regulations and may require US authorization prior to export, reexport, or transfer to non-US persons or parties. Diversion contrary to US law is prohibited.

For assistance with confirming the Jurisdiction & Classification of Teledyne FLIR, LLC products, please contact exportquestions@flir.com.

©2022 Teledyne FLIR, LLC. All rights reserved.

Revised 11/03/22
ProductName_Datasheet-LTR 21-0000



Diensten van EURO-INDEX

EURO-INDEX is fabrikant, importeur en distributeur van diverse A-merken op het gebied van test- en meetinstrumenten. Daarnaast leveren wij een groot aantal diensten om het gebruik van deze instrumenten in uw bedrijfsvoering te optimaliseren. Dit omvat uiteraard onderhoud, reparatie en kalibratie van de instrumenten, maar ook kennisdeling via EURO-INDEX Academy en verhuur van instrumenten.

Geautoriseerd Service Centrum

EURO-INDEX b.v. is van alle vertegenwoordigde merken een Geautoriseerd Service Centrum. Dit betekent dat uw instrumenten worden behandeld door technici die zijn opgeleid door de fabrikant en beschikken over de juiste gereedschappen en software. Er worden uitsluitend originele onderdelen toegepast en de garantie van uw instrument, evenals de certificering (ATEX, EN50379, etc.) blijven intact.

Kalibratielaboratorium

Het laboratorium in Nederland beschikt over een RvA accreditatie naar EN-ISO/IEC 17025. Deze accreditatie geldt voor grootheden, zoals gespecificeerd in de scope bij accreditatienummer K105. RvA kalibratiecertificaten zijn internationaal geaccepteerd en is gelijkwaardig aan BELAC.



Mobiele Service

Naast de vaste kalibratielaboratoria in Zaventem en Capelle aan den IJssel beschikken wij ook over een laboratorium op wielen met de naam "Mobiele Service". Dit biedt vertrouwde service en kwaliteit, bij u voor de deur!

KWS®

KWS® is een uniek servicesysteem voor uw meetinstrumenten met periodiek onderhoud en kalibratie tegen vaste, lage kosten. Via een gratis webportal (mijnkws.be) heeft u altijd en overal beschikking over uw kalibratiecertificaten.

Verhuur van meetinstrumenten

- Uitgebreid assortiment
- Nauwkeurigheid aantoonbaar door actueel kalibratiecertificaat
- Deskundig advies
- Complete levering inclusief accessoires

EURO-INDEX Academy

- Trainingen, seminars en workshops
- Demonstratie- en instructievideo's
- Application notes



Servicebalie



Onderhoud, reparatie en kalibratie



Trainingen en seminars



Mobiele Service

Wijzigingen voorbehouden EURO-INDEX® VL 23001



BELGIË
Leuvensesteenweg 607
1930 Zaventem
T: 02 - 757 92 44
F: 02 - 757 92 64
sales@euro-index.be
www.euro-index.be

NERLAND
Rivium 2e straat 12
2909 LG Capelle a/d IJssel
T: +31 - (0)10 - 2 888 000
F: +31 - (0)10 - 2 888 010
verkoop@euro-index.nl
www.euro-index.nl

